जाना है जिसके लिए एक योजना तैयार की जा रही है। अधिक उंचाई पर स्थित पाकेटों में पानी पहुंचाने को सुनिश्चित करने के लिए 4 घण्टे प्रात: और 4 घंटे सायं को पम्पिंग द्वारा पानी सप्लाई किया जाता है।

नई दिल्ली में कालोनियों का नियमित किया जाना

3244. **श्री सूरज प्रसाद** : क्या शहरी विकास मंत्री यह बताने की कृपा करेंगे कि :

(क) क्या नई दिल्ली में पटेल नगर के निकट स्थित बलजीत नगर, प्रेम नगर और नेहरू नगर कालोनियों को नियमित कर दिया गया है ;

(ख) यदि हां, तो इन कालोनियों को कब नियमित किया गया था ; और

(ग) यदि उपर्युक्त भाग (क) का उत्तर "ना" हो, तो इन कालोनियों को नियमित न किए जाने के सविस्तार कारण क्या हैं ?

शहरी विकास मंत्रालय में राज्य मंत्री (श्री दलबीर सिंह) : (क) और (ख) दिल्ली विकास प्राधिकरण ने दिनांक 30-7-83 के संकल्प संख्या 141 तथा 140 द्वारा प्रेम नगर तथा नेहरू नगर को नियमित कर दिया है।

(ग) बलजीत नगर को नियमित नहीं किया जा सका क्योंकि नियमितीकरण हेतु निर्धारित मापदण्ड को यह पूरा नहीं करता।

Production of Pulses

3245. SHRI GURUDAS DAS GUPTA: Will the Minister of AGRICULTURE be pleased to state:

(a) whether it is a fact that it has not been possible to increase the production of pulses in proportion to the increase in the growth rate of population resulting in the decline in the per-capita availability of the pulses;

(b) if so, since when this decline trend has started;

(c) what efforts are being made to increase the production;

(d) whether it is a fact that the target to increase the area of pulse cultivation and the production has not been fulfilled during the Seventh Plan period; and

(e) if so, year-wise details thereof?

THE MINISTER OF STATE IN THE DEPARTMENT OF AGRICULTURE AND COOPERATION IN THE MINISTRY OF AGRICULTURE (SHRI YOGENDRA MAKWANA): (a) and (b) The per capita net availability of pulses was the maximum at 74.9 grams per day in 1959. Thereafter, it started showing a declining trend. This decline is due to lower growth in production of pulses than that of population growth.

(c) To increase the production of pulses during the Seventh Plan, the following strategy is being adopted.

(i) Introduction of pulses crops in irrigated farming systems such as double and multiple cropping;

(ii) Bringing additional area under:

(1) Short duration varieties of urd, moong etc. in rice fallows by utilising the residual moisture in rabi season;

(2) In summer season with irrigation, after mustard, sugarcane, potato and Wheat;

(3) In rabi under lentil; and

(4) Under short duration Arhar in rotation with Wheat in Northern States.

(iii) Inter-cropping of arhar in soyabean, bajra, cotton, sugarcane and groundnut both under irrigated and unirrigated conditions;

(iv) Multiplication and use of improved pulses, seeds, adoption of plant protection measures use of phosphatic fertilisers and rhizobium culture; and